Prewikka - Bug #147

empty __init__.py[co] created in $PYTHON_SITELIBDIR when installing Prewikka

04/19/2006 01:30 PM -

Status:	Closed	**Start date:**	
Priority:	Normal	**Due date:**	
Assignee:	Yoann VANDOORSELAERE	**% Done:**	0%
Category:		**Estimated time:**	0.00 hour
Target version:	0.9.5		
Resolution:	invalid		

Description

Hello,

Renato Botelho noticed that when installing Prewikka, it will create three empty files in the Python sitelib directory ($PYTHON_SITELIBDIR).

```
One mor point, it's installing 3 files, +init+.py[co] on
usr/local/lib/python2.4/site-packages/, until i know it's not correct to
install files directly on site-packages dir. -- Renato Botelho
```

Regards,

Robin

History

#1 - 04/20/2006 05:24 PM - Yoann VANDOORSELAERE

- Status changed from New to Assigned

#2 - 04/24/2006 02:04 PM - Yoann VANDOORSELAERE

- Status changed from Assigned to Closed

- Resolution set to invalid

This appear to be the expected behavior:

The +init.py files are required to make Python treat the directories as containing packages; this is done to prevent directories with a common name, such as "string", from unintentionally hiding valid modules that occur later on the module search path. In the simplest case, +init.py can just be an empty file, but it can also execute initialization code for the package or set the +all+ variable, described later.

http://docs.python.org/tut/node8.html

#3 - 05/04/2006 09:40 AM - Yoann VANDOORSELAERE

I've misunderstood the ticket description at first: fixed in r8180.

#4 - 04/29/2009 12:24 PM - Yoann VANDOORSELAERE

- Project changed from PRELUDE SIEM to Prewikka

- Category deleted (5)

- Target version deleted (0.9.5)